
and the second of the second o
Quid
Checked by Chief Copy N1D to Field Office Approval Letter Disapproval Letter
Location inspected Bond released State of Fee Land
ILED
GR GRN Micro

#FF-70- 10:40 ------ - TAME

<i>j</i> .			
Form (A)	n 9- 2 pril 19	331 b 52)	_
	•		
X			



(SUBMIT IN TRIPLICATE)


UNITE	D S	TATE	:S
DEPARTMENT	OF	THE	INTERIOR
GEOLOG	ICAL	_ SUR'	VEY

Budg Appr	et Bureau No. 42-R359.4. oval expires 12-31-60.
	., Navejo Triba
Allottee	

	UNDRY	NOTICE	S ANI) REI	PORT	S ON WEI	LLS
TICE OF INTEN	TION TO DRILL		X	CHRCEOTIEN	IT PEPOPT (of WATER SHUT-OFF	
		PLANS				OF SHOOTING OR ACID	i
		TER SHUT-OFF]]			OF ALTERING CASING	
		OR REPAIR WELL	1 1			OF REDRILLING OR RE	
		R ACIDIZE				F ABANDONMENT	
		ALTER CASING	1 . 1	'		HISTORY	
		WELL.				****	i
	(INDICA	TE ABOVE BY CHECK	K MARK NATU	IRE OF REPO	RT, NOTICE,	OR OTHER DATA)	
evajo Tri	ml "fr	etu-	Par	mingtor	, New	ferioo James	ary 2 , 19
ll No. 2	is lo	cated 1980	ft. from	S line a	nd 735	ft. from $\left\{\begin{matrix} \ddots & \ddots $	line of sec.
4/4 Sec, and	Section 6	7-415 (Twp.)		GE.		Meridian)	•
Vildeet		San J	•		•	Utuh	
e elevation	expected depths t	D to objective sands;	ETAILS	OF WO	RK	pposed casings; indicates	te mudding jobs, c
ne elevation	of the derrick expected depths to to drill to ram as fol	to objective sands; ing points, a	DETAILS show sizes, we and all other	OF WO	RK		te mudding jobs, c
ne elevation	of the derrick	c floor above : D to objective sands; s ing points, s he Nave jo	ETAILS	OF WO	RK	pposed casings; indica	te mudding jobs, c
e elevation	of the derrick expected depths to to drill to ram as fol	to objective sands; ing points, a	Circul	OF WO	RK engths of preposed wor 2 % a	pposed casings; indica ts) 5750 Parad	te mudding jobs, c
ne elevation of and propose of an analysis of an an	of the derrick expected depths to to drill to ram as fol	o objective sands; ing points, a large jo	Circul Circul	OF WO	RK engths of preproposed wor 2 % a	pposed casings; indica k) 5750 Parad	te mudding jobs, c
ate names of and propose to propo	expected depths to drill to ram as follows 10-3/4" 7-5/8"	o floor above s to objective sands; ing points, a he have jo Lives: 65 ex 450 ex	circul Circul Circul	OF WO sights, and limportant; Million limporta	RK engths of privilege and the second	pposed casings; indica k) 5750 Parad	te mudding jobs, c
ate names of and propose fair p	expected depths to drill to ram as follows 10-3/4" 7-5/8" 4-1/2" will be defen well a	to objective sands; ing points, a lave to 1	Circul Circul Circul Circul Circul	of Wo	RK engths of pre- troposed wor 2 as a surface pays. Copie	oposed casings; indica 5750 Parad 5750 Parad 6 (To be run	te mudding jobs, cox Tooks
ate names of and propose ising program 100° 1400° 5750°	expected depths to drill to ram as follows 10-3/4" 7-5/8" 4-1/2" will be defined as this plan of works as the plan of works at this plan of works are the plan of works as the plan of works are the	to objective sands; ing points, a lave to 1	Circul Circul Circul Circul Circul Circul Circul	OF WO sights, and limportant; May No. Late to Late to Lanced) For all Ca Fune Ling by the G	RK engths of pre- troposed wor 2 as a surface pays. Copie	9750 Paradi	te mudding jobs, cox Tooks
ate names of and propose in the prop	expected depths to drill to ram as follows 10-3/4" 7-5/8" 4-1/2" will be defined as this plan of works as the plan of works at this plan of works are the plan of works as the plan of works are the	to objective sands; ing points, a lave jo 1	Circul Circul Circul Circul Circul Circul Circul	OF WO sights, and limportant; May No. Late to Late to Lanced) For all Ca Fune Ling by the G	RK engths of pre- troposed wor 2 as a surface pays. Copie	oposed casings; indically 7750 Paradi	te mudding jobs, c
ate names of and propose is in propose in propose is in propose in propose is in propose	expected depths to drill to ran as follows, as follows	to objective sands; ing points, a lave jo 1	Circul Circul Circul Circul Corport	OF WO sights, and limportant; May No. Late to Late to Lanced) For all Ca Fune Ling by the G	RK engths of proposed wor 2 8 8 Copie	9750 Paradi	te mudding jobs, com Touts if water i

COMPANY Pan American Petroleum Corporation				
Well Name & No. Navajo Tribal "M" #2	_ Leas	e No.		
Location 1980 feet from the South line and 735 feet from	m the	Wost	line.	· · · · · · · · · · · · · · · · · · ·
Being in NWISWI				· · · · · · · · · · · · · · · · · · ·
Sec. 6 T41 80 R 26 Rest Salt Lake Meridian, San	Juan	County	r, Utah.	

Ground Elevation



Scale, 4 inches - 1 mile

Surveyed December 29 , 1962

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge, and belief.

2611

Ernest V. Echohawk

Registered Land Surveyor

N. M. Reg. #1545 Utah Reg. No. 2611

anton, New Mexico

Jamesty 7, 1963

Pan American Petroleum Corporation P. O. Box 480 Farmington, New Mexico

Attn: F. R. Hollingsworth, Pet. Eng.

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo Tribal M-#2, which is to be located 1980 feet from the south line and 735 feet from the west line of Section 6, Township 41 South, Range 26 East, SLEM, San Juan County, Utah

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FRIGHT EXECUTIVE DIRECTOR

CBF: cp

ce: P. T. McGrath, Dist. Eng. USGS - Farmington, New Maxico

> M. L. Coents, Pet. Eng. OGCC - Mosb, Utah

Form 9-331 t (April 1952))
------------------------------	---

(SUBMIT IN TRIPLICATE)

Form ap Budget	proved. Bureau No. 4	12-R359.4.	G
	Maria An	Street Sec.	

]	UNITED STATES
 -	UNITED STATES

Allottes
Lease No. 14-27-603-708

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY	NOTICES .	AND REPOR	TS ON WELLS	
			7-5/8° an	X
NOTICE OF INTENTION TO DRILL			RT OF WATER SHUT-OFF 10-3/4"	-
NOTICE OF INTENTION TO CHANGE PI		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER			RT OF ALTERING CASING	1
NOTICE OF INTENTION TO REDRILL OF		·	RT OF REDRILLING OR REPAIR	1
NOTICE OF INTENTION TO SHOOT OR				1
NOTICE OF INTENTION TO PULL OR A		t H	VELL HISTORY.	
NOTICE OF INTENTION TO ABANDON	WELL			
(INDICAT	E ABOVE BY CHECK MAI	rk nature of report, not		
levajo Tribal "M" Vell No is loc	ated 1980 ft. i		735 ft. from $\left\{\begin{matrix} \mathbf{E} \\ \mathbf{W} \end{matrix}\right\}$ line of sec	
W/A SN/A Section 6 (34 Sec. and Sec. No.)	T-4 19 (Twp.)	R-26K Selt	(Meridian)	
/ildeat	Start Transmi		(State or Territory)	
(Field)	(Cour	ty or Subdivision)	(State or Territory)	
The above well was spi 158 ft. 10-3/4" easi: ng 2% calcium shlorid	added on Janu ng was set at le. Coment w with 500 pom	ary 10, 1963 and that depth with as circulated to ads pressure for	d drilled to a total deposition of the second control of the secon	th o rtai
50 eacks of Quixtreng n cement, annulus bet wixtrength cement. A ounds pressure for 30	th communt proposed in the proposed proposed in the proposed proposed in the proposed propose	ecocoded by 10 se and 7-5/8" cast on coment 7-5/8 est O.K. Reduce	1348 ft. Casing essentences of gel mad. After a ling was equeezed with 200 m casing was tested with 1350 m commend to 6-3/4" at 1350 m commend to 1350 m com	mait) se : 18 : 18
Companypan American	-Petroleum C	orporation-		
Address		 -	e a Se art	
Farmington,	New Hexten-	Ву.	Marie Lander	
	Areas	Title	Petroleum Engineer	

ly de la constitution de la cons

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Form approved. Budget Bureau No. 42-R714.4.

ALLOTTEE Nava jo Tribal
TRIBE Nava jo Tribal "M"
LEAS NO 14-20-603-708

LESSEE'S MONTHLY REPORT OF OPERATIONS

Agent's	addr	ess .R F	. O. armi	Box /	. New Mexi	20	Stø	ned	Chr	n Petroleum Corporat
Phone_					Agent's title Administrative Clerk			trative Clerk		
SEC. AND	Twr.	Range	Well. No.	Days Pagetors	BARRESS OF OIL	GRAVITY	Cv. Fr. or Gas (In thousands)	Gallons of Gasoline Becovered	Barreis of Water (If Dods, so state)	BEMARKS (If drilling, blogish; if shut down, cause; date and regul, of test for gasoline constitution gran
SU 6	4 1 S	26E	2		Drilling 1	re11.				Navajo Tribal "M"
<i>5</i> ,, 0	4.00		~							Well No. 2 - Drill 4512: Well spudd
			ar".							January 10, 1963.
기다										
				3				100		
			٧.							
					EOD) . A EHE	D IN LIEU (he empir	00.00	120
						N I IEL		PF FORM		
			*			V. A.				
			aby							
			84							
		**	di-j			Dec. 2				
- 14 14										
, N - 3										
						A August				
47.			1							

No runs or sales of gasoline during the month. (Write "no" where applicable.)

Note.—Report on this form is required for each calendar month, regardless of the status of operations, and must be filed in duplicate with the supervisor by the 6th of the succeeding month, unless otherwise directed by the supervisor.

Form 9-329 A (December 1948)

13

16-26231-7 U.S. GOVERNMENT PRINTING OFFICE

MEMO

February 14, 1963

C 415 26 E

Mr. Frank Hollingsworth telephoned this office at 3:30 P.M. from Farmington, New Mexico, (Pan American Petroleum Corp.) and gave us the following plugging program for their Well No. Navajo Tribal M #2:

TD was at 5580'

Core - 5390'-5440' Lower Ismay, recovered 35' lime, lime had faint oder and 15' shale.

DST #1 - 5377-5440-, open 2 hrs. had strong blow of air throughout, recovered 60' gas-cut mut, 90' gas and oil cut mud, 180' gas and oil cut muddy salt water, and 212' slightly gas and oil cut salt water.

Ran Logs:

Tops Desert Creek 5482' Lower Ismay 5393' Upper Ismay 5292'

Hermosa

Cutler

2594' - (Chelly) - hot show of water

7 5/8" intermediate casing set at 1348'.

Plugging Program as approved by U.S.G.S

80 sacks @ 5250' to TD

25 sacks from 4180-4280'


40 sacks from 2500-2650'

25 sacks from 1300'1400'

10 sacks at surface

ann

NK



Copy	H.L.C.	

(SUBMIT IN TRIPLICATE)

Unite	D S	TATE	S:
DEPARTMENT	OF	THE	INTERIOR
GEOLOG	ICAL	. SUR'	VEY

Form approved. Budget Bureau No. 42-R359.4.
Indian Agency Rava to Tribal
*
Allottee
Lease No. 14-20-603-708

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT RE			
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING		
	SUBSEQUENT RE	EPORT OF ALTERING CASING		
NOTICE OF INTENTION TO REDRILL OR REPAIR WEL	L SUBSEQUENT RE	PORT OF REDRILLING OR REPAIR.		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT RE	PORT OF ABANDONMENT		
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTAR	Y WELL HISTORY		
NOTICE OF INTENTION TO ABANDON WELL				
(INDICATE ABOVE BY CH	ECK MARK NATURE OF REPORT, N	OTICE, OR OTHER DATA)		
Mavajo Tribal ">"	Farmington,	New Mexico February 15, 1963		
		735 ft. from W line of sec. 6		
1/4 54/4 Section 6 2-41 (1/4 Sec, and Sec. No.) (Twp.)	S E-26K (Range)	Selt Lake (Meridian)		
		AND A		
Wildest (Field)	(County or Subdivision)	(State of Territory)		
The above well was drilled to :	a total depth of 5	ns of proposed casings; indicate mudding jobs, coment- sed work) 580 . As a result of failing to		
The above well was drilled to a find oil or gas in commercial a follows:	a total depth of 3 quantities, we pro- est (TD' (Teps - Is sert Creek 5567) 80 across top of C CO in bottom of in top of casing. plugs.	580. As a result of failing to pose to plug and abandon it as may 5292, Lower Ismay 5393, and ermosa (4227). utler (2594). termediate casing at 1348.		
The above well was drilled to find oil or gas in commercial follows: 1. Spot 80 sacks plug 5250-55 Desert Greek 5482; base De 2. Spot 25 sacks plug 4180-42 3. Spot 40 sacks plug 2500-26 4. Spot 25 sacks plug 1300-14 5. Spot 10 sacks plug 0-40 in 6. Use heavy mid between all	a total depth of 3 quantities, we pro- 85 (Th' (Teps - Is sert Creek 5567) 86 agrees top of 6 50 agrees top of 6 00 in bettem of in top of casing, plugs, and clean up location of the color of casing, plugs, and clean up location of casing, plugs, and clean up location of casing, and clean up location of casing and c	580. As a result of failing to pose to plug and abandon it as may 5292, Lower Issay 5393, and ermosa (4227). utler (2594). termediate casing at 1348.		
The above well was drilled to find oil or gas in commercial follows: L. Spot 80 sacks plug 5250-55 Desert Greek \$482; base De 2. Spot 25 sacks plug 4180-42 3. Spot 40 sacks plug 2500-26 4. Spot 25 sacks plug 1300-14 5. Spot 10 sacks plug 0-40 in 6. Use heavy sud between all 7. Freet abandonment marker a	a total depth of 3 quantities, we pro- 85 (Th' (Teps - Is sert Creek 5567) 86 agrees top of 6 50 agrees top of 6 00 in bettem of in top of casing, plugs, and clean up location of the color of casing, plugs, and clean up location of casing, plugs, and clean up location of casing, and clean up location of casing and c	pose to plug and abandon it as may 5292, Lower Ismay 5393, and ermosa (4227). utler (2594). termediate casing at 1348.		
The above well was drilled to find oil or gas in commercial follows: 1. Spot 80 sacks plug 5250-55 Desert Creek 5482; base De 2. Spot 25 sacks plug 4180-42 3. Spot 40 sacks plug 2500-26 4. Spot 25 sacks plug 1300-14 5. Spot 10 sacks plug 1300-14 6. Use heavy mid between all 7. Frect abandonment marker as I understand that this plan of work must receive a Company Pan American Petroleu Company	a total depth of 5 quantities, we pro- esp (TD) (Teps - Is sert Creek 5567) est creek 5567) est creek top of S fo across top of C co in bottom of in- top of casing, plugs, and clean up location approvalin writing by the Geologe m Corporation	580. As a result of failing to pose to plug and abandon it as may 5292, Lower Issay 5393, and ermosa (4227). utler (2594). termediate casing at 1348.		



Copy	H. L.C.	
ubmit i	N TRIPLICAT	E)

Budge	t Bureau	No.	42-R359.4.

Indian Agency	Bave jo	Tribul

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

	•		
NOTICE OF INTENTION TO DRILL	SUBSECUENT DE	PORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	1 11 '	PORT OF SHOOTING OR ACIDIZING.	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		PORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	·	PORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		PORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY	WELL HISTORY COTE AND FTRE	X
NOTICE OF INTENTION TO ABANDON WELL			
(INDICATE ABOVE BY CHE	ECK MARK NATURE OF REPORT, N	OTICE, OR OTHER DATA)	
Navajo Tribal "N"	Parmington.	Now Mexico February 18	10 63
reconstitution with the contraction of the contract		and the same of th	17
Well No. 2 is located 1980 No. 4 Section 6 T-41S (14 Sec, and Sec, No.) (Twp.)	ft. from ${S \atop S}$ line and	735 ft. from W line of sec.	
(14 Sec. and Sec. No.) (Twp.)	(Range)	(Meridian)	
Wildest	Sen Juan	Utah	
(Field)	(County or Subdivision)	(State or Territory)	
(State names of and expected depths to objective sands in a points. The above well was drilled to so objective sands. The above well was drilled to so objective sands. I was drilled to so objective sands. I was drilled to so objective sands. I was sand objective sands. I was sand oil out salt water, by pressure shut in 1955, bettom hole pressure shut in 1966. By 120°F.	a depth of 5390' a O' as follows: To a. 5377' to 5440'. T of gas ent mid (8 of gas and oil out drostatic head in hole pressure flow	nd Core No. 1 was out as p 35' lime with faint et col open 2 hours with st .5% per gallon), 90' hig maddy salt water, 212' 2985. Initial 1 hour boring 105-175. Final 1 ho	follows ain and rong blo hly gas slightly ttom hol or botto
Regumed drilling operations.			
I understand that this plan of work must receive ap	pproval in writing by the Geolog	ical Survey before operations may be comm	nenced.
Company Pan American Petroles	a Corporation		
Address P. O. Box 480		Official and	
Farmington, New Mexic	В	yby Clerko by	
Attn: L. O. Speer, J	Titl	Petroloum Engineer	

Form 9-331 b (April 1952)

X



Form approved, Budget Bureau No. 42-R359,4.

M
I.

(SUBMIT IN TRIPLICATE)


UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Indian Agency . MAYA 30 TY10
Allottee
Lone No. 14-20-603-708

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT	OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		OF SHOOTING OR ACIDIZING.	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT	OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT	OF REDRILLING OR REPAIR.	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT	OF ABANDONMENT	X
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WEI	L HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			
(INDICATE ABOVE BY CHECK MAR	K NATURE OF REPORT, NOTIC	E, OR OTHER DATA)	
			. aa 10 4a
lavajo Tribel "M"	rarmington, new	Merciae Pabrear	r. 200, 19. 2031.
		寒)	
ell No2 is located1980ft. fr	$\operatorname{com}\left\{ S\right\} \text{ line and } \mathcal{I}$	$\{\mathbf{w}\}$ line o	f sec
sili daili damakana A. W. 130 D.	.261 6 Se	alt Lake	
(14 Sec. and Sec. No.) (Twp.)	(Range)	(Meridian)	
1)dont San	Trinin	Utah	
	y or Subdivision)	(State of Territor)	r)
ne elevation of the derrick floor above sea l	a ab as un		
s a result of failing to find oil will was plugged and abandoned on l	ebruary 15, 1969		
. Spotted 80 sacks plug 5250-558			
. Spotted 25 encks plug 4180-428			
. Spotted 40 sacks plug 2500-265			
. Spotted 25 sacks plug 1300-140	D.		
. Southed 10 mades also at most	.		
	•		/
	•		
. Used heavy mud between all plus	3 8 +	n gleened up at a	later date
. Used heavy mud between all plus	3 8 +	a cleaned up at a	later date
. Used heavy mad between all play	gs. sted and location	· · · · · · · · · · · · · · · · · · ·	
Used heavy mad between all play Abandonment marker will be ere- I understand that this plan of work must receive approval	gue oted and location in writing by the Geological	· · · · · · · · · · · · · · · · · · ·	
Used heavy mad between all plans. Abandonment marker will be erectioned that this plan of work must receive approval company. Pan American Petroleum Garage.	sted and location in writing by the Geological :	Survey before operations may	be commenced.
June of heavy mad between all plans. Abandonment marker will be erection approval to the control of the contro	ge. orted and location in writing by the Geological S	ONISMAL STATE	be commenced.

Form 9-330



Budget Bureau No. 42–R355.4. Approval expires 12–31-60.

U. S. LAND OFFICE NAVA 10 Tribal
SERIAL NUMBER 14-20-503-708
LEASE OF PERMIT TO PROSPECT

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

		CORRECTLY		0 -	=	. 4	*4	9M	A.O. ***	× •	
											New Mexal
											44
Location	on 1980	ft [N.] of S	Line a	nd 735	ft.	$\{\underline{\mathbf{E}}_{\cdot}\}_{\mathbf{of}}$	Line of	Section	m A	Flore	ation 4619
T	he informa	tion given h	erewith is	a comp	plet rec	e and correctords.	t record o	of the w	ell and all	l work o	door relative to see level) lone thereon CMSD BY SOWORTH
Date _	Febra	mry 22, 1	963								109T
		-			itio	n of the well					
Comm	enced drill	ing Jamı s	ry 10	,	19.	63. Finish	ed drilling	g	Februar	y 13	, 19. 63 .
			OI	L OR	GA:	S SANDS C	R ZONE	s			
37 4	٥	**			•	enote gas by G)					
No. 3,	irom								to		
No 1	from		**			NT WATER			4		
						•					
110. 2,	110111		- 00			NG RECOR			tO		
Size	Weight	Threads per		I			<u> </u>		Perfor	ated	
casing	per foot	inch	Make	Amour		Kind of shoe	Cut and pu		From-	То-	Purpose
-4/1	1 ST . 154	in the vere p	a terito a ur in Olesi	nd tagtic	rr - 10-	li chard has	heen dyna. erial used.	mired. हो। positien,	o dane, size and results	pasition of parini	y casing was -
THE	of the greet. reasons for	the work and	to have a c ts resuits.	omplete i	nist: WCI	ry of the well. e-any changes	Please sta made in th	te in det: e casing,	il the date state fully	of redril	ing, together by casing was
				FORY-	O Ł	OIL OR G	AS WEL	F	- v54// * - t	GCn+1'MWEM1	Remains unto
								ļ	1		
	<u></u>		·	·		CEMENTI			- 1		
Size casing	Where set	Numb	er sacks of ce	ment		Method used	Mud	gravity	Am	ount of m	nud used
-3/4	158	3	10		-61	irculated					
1 -5/8	1348	6	50		e:	izculated					
		,				AND ADAP	TERS				
Iea vin	g plug—M	Taterial			. I	ength	*	I	Depth set		
dapte	ers—Mater	ial	;		. 8	Size					

(OVER)

TOTAL PERT

16-48094-4

42 127 27 7 1 1 BV

Ast ?

POLD | MARK

IN P

Copy N. Z. C
UNITED STATES
DEPARTMENT OF THE INTERIOR

Form approved. Budget Bureau No. 42-R714.4

ALIOTTEE Navajo Tribal "M"
LEASE NO. 14-20-603-708

LESSEE'S MONTHLY REPORT OF OPERATIONS

GEOLOGICAL SURVEY

					February < 480		-		npanyPan	America	Petroleum Corporat
		-+	Far	mingto	on, New Mex	cico		Sig	ned	6-2	mun
Phone									and the second second		rative Clerk
SEC. AND	Twr.	RANGE	WEIL No.	DAYS PRODUCED	BARRELS OF OIL	GRAVITY	Cu. Fr. or (In thousan	Gas ds)	GALLONS OF GASOLINE RECOVERED	BARRELS OF WATER (If none, so state)	BEMARKS (If drilling, depth; if shut down, cause; date and result of test for gasoline seatent of gas)
					MALLERY.						
SW 6	41S	26E	2	_	Plugged an	d Aba	ndone d			1	Navajo Tribal "M"
					, ,						Well No. 2 - Total
			. •								Depth 5580'. As a
	١.						4.			. "	result of not obtaiing oil or gas in
		1.									commercial quantiti
						:		•	A		well was plugged an
			٠.		,				1		abandoned on Februa
									A Comment		-), -///
			FO	RM FI	LED IN LIEU	OF E	OBA				FINAL REPORT
), ,	URM C	GC	c-4		
							,				
								,			
		•									
	6.4			a A							
	98							. 4		7 a.s.	
										T	
			*-								
										10 mg 10 10 mg 10	
			•								
	1										
							:				V 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
		-									
						ĺ					



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Box 959
Farmington, New Mexico

March 29, 1963

Mr. Harvey Coonts Utah Oil and Gas Conservation Comm. Moab, Utah

Dear Harvey:

The following abandoned wells in San Juan County, Utah, were inspected and approved by this office during March:

No. 1 Navajo Tract 3	NW 15-438-22E
No. 1 Akeah	NW 4-425-21E
No. 1 Navajo Tract 4	0 SW 9-41S-22E
No. 1 Gulf-Aztec	
Desert Creek	NE 1-41S-22E
No. 2 " "	NE 1-41S-22B
A-3 Navajo 58	SW 5-41S-23E
No. 1 Navajo 404	NW 19-42S-23E
No. 80-1 Navajo	NE 2-42S-23E
No. 92-1 Navajo	NE 5-43S-24E
No. 3 Navajo Tr. 125	SW 21-41S-25E
	No. 1 Akeah No. 1 Navajo Tract lu No. 1 Gulf-Aztec Desert Creek No. 2 " " A-3 Navajo 58 No. 1 Navajo hOh No. 80-1 Navajo No. 92-1 Navajo

The following wells were inspected but not approved:

Aztec Oil & Gas Pan American Petroleum No. 67-3 Navajo No. 2 Navajo M NW 9-41S-23E SW 6-41S-26E

Very truly yours,

P. T. McGrath District Engineer

 	For (A	m 9-8 pril 19	3 81 b 52)	
Le N				
		İ		ſ





Form approved. Budget Bureau No. 42-R359.4.

Indian Agency Navajo Tribal

Allottee
Lease No. 14-20-603-708

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

NOTICE OF INTENTION TO DRILL	su	IBSEQUENT REPOR	RT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	st	IBSEQUENT REPOR	RT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHE	IT-OFFsu	IBSEQUENT REPOR	RT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REF	AIR WELL SU	IBSEQUENT REPOR	RT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDI	ze st	IBSEQUENT REPOR	RT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER	CASING SL	IPPLEMENTARY W	ELL HISTORY.	X.
NOTICE OF INTENTION TO ABANDON WELL.				
(INDICATE ABO)	E BY CHECK MARK NATURE	of Report, Noti	CE, OR OTHER DATA)	
Navajo Tribal "M"	Farm	ington, Ne	w Mexico April 15	, 19 .63.
Well No2 is located	1980 ft. from S	line and _7	35ft. from XX line of s	sec6
NW// SW// Section 6 (4 Sec and Sec. No.)	• •		• ,	
	San Juan			
(Field)	(County or Subdi	vision)	(State or Territory)	
			f	_ :- L
	ng points, and all other imp	oortant <u>propose</u> d	·	
This is to advise that the stored to original contor	ng points, and all other imp ne above well's	location	has been cleaned up	and re-
This is to advise that the	ng points, and all other imp ne above well's	location	has been cleaned up	and re-
This is to advise that the	ng points, and all other imp ne above well's	location	has been cleaned up	and re-
This is to advise that the	ng points, and all other imp ne above well's	location	has been cleaned up	and re-
This is to advise that the	ng points, and all other imp ne above well's	location	has been cleaned up	and re-
This is to advise that the	ng points, and all other imp ne above well's	location	has been cleaned up	and re-
This is to advise that the	ng points, and all other imp ne above well's	location	has been cleaned up	and re-
This is to advise that the	ng points, and all other imp ne above well's	location	has been cleaned up	and re-
This is to advise that the	ng points, and all other imp ne above well's	location	has been cleaned up	and re-
This is to advise that the	ng points, and all other imp ne above well's urs; also, aband	location lonment ma	work) has been cleaned up rker has been erecte	and re-
This is to advise that the stored to original contour stored to original contour.	ne above well's ars; also, aband	location lonment ma	has been cleaned up rker has been erecte	and re-
This is to advise that the stored to original contours.	ne above well's ars; also, aband	location lonment ma	has been cleaned up rker has been erecte	and re-
This is to advise that the stored to original contour stored to original contour stored to original contour stored that this plan of work must company Pan American Petro	ne above well's irs; also, abanc	location lonment ma	has been cleaned up rker has been erecte	and re-